| 25X |
|-----|
|-----|

25X1

25X1

| REFERENCE: | |
|------------|--|

ATTACHMENT TO K-9537
13 MAY 1966
PAGE 1
COPY 1

RADAR SITE

PU-MEN-CHENG, CHINA

1. SIGNIFICANCE:

NEWLY IDENTIFIED RADAR SITE.

2. REMARKS:

THE SCR-270, ONE OF THE FIRST U.S. OPERATIONAL RADARS, WAS DEVELOPED BY THE SIGNAL CORPS
LABORATORY AND PRODUCED BY WESTINGHOUSE.

SOME SCR-270 RADARS WERE ACQUIRED BY RUSSIA
THROUGH LEND-LEASE DURING WORLD WAR II AND
LATER GIVEN TO THE CHINESE COMMUNISTS. ALTHOUGH NOW CONSIDERED OBSOLETE BY WESTERN
STANDARDS, VARIOUS COPIES AND MODIFICATIONS
OF THE BASIC SCR-270 DESIGN HAVE BEEN MADE
BY THE CHICOMS AND HAVE BEEN OBSERVED IN
CURRENT USE IN THEIR AIR DEFENSE SYSTEM.

THESE RADARS CAN ACQUIRE AND TRACK MEDIUM
BOMBERS AT RANGES OF 100 TO 125 NM WITH ACCURACIES OF ABOUT PLUS-OR-MINUS FOUR MILES IN
RANGE AND PLUS-OR-MINUS FOUR DEGREES IN AZIMUTH.

3. LOCATION:

1.5 NM WEST OF PU-MEN-CHENG AT 2714N 12024E.

These notes have been prepared for briefing purposes only and should not be used for detailed analytical work.

Their use should be restricted to the particular briefing board(s) they were prepared for and must be considered valid

anly for the reporting period as indicated by the date of issue.

GROUP 1
Excluded from automatic downgrading and declassification

| | | Approved For Release 2007/04/02 : CIA-RDP80101471R001800080001-5 | 25 X |
|---|-----|--|------------------|
| | REF | ERENCE: ATTACHMENT TO K-9537 13 MAY 1966 PAGE 2 | 25X 25X |
| | | | 25X ⁻ |
| * | | | |
| | | | |
| | 7. | SUBSEQUENT COVERAGE: NONE. | |
| | 8. | <u>DIMENSIONS/SPECIFICATIONS</u> : NONE. | |
| | 9. | MISSION READOUT: THIS MISSION REVEALS A RADAR SITE CONTAINING | |
| | | 1 PROBABLE SCR-270 RADAR, 1 RADAR PAD IN LATE STAGES OF CONSTRUCTION, 3 | |
| | | BURIED CONTROL BUILDINGS, 3 LARGE UNIDENTIFIED BUILDINGS, AND 15 SUPPORT | |
| | | BUILDINGS. THREE TRUCKS ARE OBSERVED AT THE SITE. | |
| | ſ | Intell Troops Am oponitym Af The office | 25X |

These notes have been prepared for briefing purposes only and should not be used for detailed analytical work. Their use should be restricted to the particular briefing board(s) they were prepared for and must be considered valid only for the reporting period as indicated by the date of issue.